

MANGUITO-U (PLETINA)

77912001

Sleeve joint for tape 30mm



Scan this QR code and see the full range



[Link to the product page](#)

Technical Data	Value	Units
Commercial data		
Code	77912001	
Part Number	MANGUITO-U (PLETINA)	
Status	Available	
EAN	8435297862284	
Tariff code (HS)	8535.40.00	
Dimensions		
Product height	32	[mm]
Product width	62	[mm]
Product length	30	[mm]
Product weight	340	[gr]
Packaging unit	1	
General data		
Product standards	EN 62561-1:2011	
Certifications	CE	
Technical features		
Down-conductor system	Flat tape	
Max. flat tape width	30	[mm]
Min. flat tape width	25	[mm]
Max. flat tape thickness	3	[mm]
Min. flat tape thickness	2	[mm]
Material	Stainless steel	
Screw thread	M8	

Certifications	Value	Units
Certifications	CE	

Address



Barcelona

Cirprotec, S.L.U.

C/ Lepanto, 49

08223 - Terrassa (Barcelona)

Tel. +34 937 331 684

Fax. +34 93 733 27 64

www.cirprotec.com

BORNA MULTI-CLAMP INOX D8-10

776001273

Raccord de câble multiple en acier inoxydable, diamètre 8-10 mm.



Indicative product image

Données techniques	Valeur	Unités
Données commerciales		
Code	776001273	
Description	BORNA MULTI-CLAMP INOX D8-10	
Etat	Disponible	
Dimensions		
Poids du produit	105	[gr]
Unité d'emballage	1	
Données générales		
Normes de produits	EN 62561-1:2012	
Certifications	CE	
Caractéristiques techniques		
Diamètre maximum du câble	10	[mm]
Diamètre minimum du câble	8	[mm]
Matériel	Acier inoxydable 316	
Matériau connecteur	Acier inoxydable 316	
Filet de vis	M10	

BORNA MULTI-CLAMP FECG D8-10

776001270

Universal T joint in galvanized steel, diameter 8-10 mm.

Scan this QR code and see
the full range



[Link to the product page](#)

Technical Data	Value	Units
Commercial data		
Code	776001270	
Part Number	BORNA MULTI-CLAMP FECG D8-10	
Status	Available	
EAN	8435297808138	
Tariff code (HS)	8536.30.90	
Dimensions		
Product weight	400	[gr]
General data		
Certifications	CE	
Technical features		
Down-conductor system	Cable conductor	
Diameter	8-10	[mm]
Max. diameter of cable	Diámetro máx.cable	10 [mm]
Min. diameter of cable	Diámetro mín cable	10 [mm]
Material	Galvanized steel	

Certifications	Value	Units
Certifications	CE	

Address



Barcelona

Cirprotec, S.L.U.

C/ Lepanto, 49

08223 - Terrassa (Barcelona)

Tel. +34 937 331 684

Fax. +34 93 733 27 64

www.cirprotec.com

Copyright © Cirprotec, S.L.

[Legal Notice](#)

BORN VARIO-CLAMP PL/PL FeCG 30/30

776001343



Lightning and surge protection

Multiple flat conductor joint in galvanized steel, for 30mm tape.

Scan this QR code and see the full range



[Link to the product page](#)

Technical Data	Value	Units
Commercial data		
Code	776001343	
Part Number	BORN VARIO-CLAMP PL/PL FeCG 30/30	
Status	Available	
EAN	8435297880813	
Tariff code (HS)	8536.30.90	
Dimensions		
Product height	31	[mm]
Product width	68	[mm]
Product length	40	[mm]
Packaging unit	1	
General data		
Product standards	EN 62561-1:2012	
Certifications	CE	
Technical features		
Down-conductor system	Flat tape	
Max. flat tape width	30	[mm]
Min. flat tape width	25	[mm]
Max. flat tape thickness	3	[mm]
Min. flat tape thickness	2	[mm]
Material	Galvanized steel	
Connector material	Stainless steel	
Thread type	M10	
Screw thread	M10	

Certifications	Value	Units
Certifications	CE	

Address



Barcelona

Cirprotec, S.L.U.

C/ Lepanto, 49

08223 - Terrassa (Barcelona)

Tel. +34 937 331 684

Fax. +34 93 733 27 64

www.cirprotec.com

Copyright © Cirprotec, S.L.

[Legal Notice](#)

JUNTA DE CONTROL PLETINA

77931002

**Tinned copper alloy test link for 30x2mm tape. Stainless steel hardware
Provided with fixing elements and allen key.**

Scan this QR code and see
the full range



[Link to the product page](#)

Technical Data	Value	Units
Commercial data		
Code	77931002	
Part Number	JUNTA DE CONTROL PLETINA	
Status	Available	
EAN	8435297841036	
Tariff code (HS)	8536.90.10	
Dimensions		
Product height	150	[mm]
Product width	25	[mm]
Product length	60	[mm]
Product weight	470	[gr]
Packaging unit	1	
General data		
Product standards	EN 62561-1:2011	
Certifications	CE	
Technical features		
Down-conductor system	Flat tape	
Max. flat tape width	30	[mm]
Min. flat tape width	25	[mm]
Max. flat tape thickness	3	[mm]
Min. flat tape thickness	2	[mm]
Material	Stainless steel	
Connector material	Stainless steel	
Housing material	Brass	

Screw thread

M6

Certifications	Value	Units
Certifications	CE	

Address



Barcelona

Cirprotec, S.L.U.

C/ Lepanto, 49

08223 - Terrassa (Barcelona)

Tel. +34 937 331 684

Fax. +34 93 733 27 64

www.cirprotec.com


Copyright © Cirprotec, S.L.

[Legal Notice](#)

MANGUITO-U C-70

77912000

Sleeve joint for cable 8-10mm



Scan this QR code and see the full range



[Link to the product page](#)

Technical Data	Value	Units
Commercial data		
Code	77912000	
Part Number	MANGUITO-U C-70	
Status	Available	
EAN	8435297812753	
Tariff code (HS)	8535.40.00	
Dimensions		
Product height	70	[mm]
Product width	23	[mm]
Product length	23	[mm]
Product weight	215	[gr]
Packaging unit	1	
General data		
Product standards	EN 62561-1:2011	
Certifications	CE	
Technical features		
Down-conductor system	Cable conductor	
Diameter	24	[mm]
Internal diameter	12	[mm]
Max. diameter of cable	Diámetro máx.cable	10 [mm]
Min. diameter of cable	Diámetro mín cable	8 [mm]
Material	Brass	

Certifications	Value	Units
Certifications	CE	

Address



Barcelona

Cirprotec, S.L.U.

C/ Lepanto, 49

08223 - Terrassa (Barcelona)

Tel. +34 937 331 684

Fax. +34 93 733 27 64

www.cirprotec.com