

SALES MINERALES 5 KG

77938300

5 kg. bag of mineral salts.



Scan this QR code and see the full range



[Link to the product page](#)

Technical Data	Value	Units
----------------	-------	-------

Commercial data

Code	77938300	
Part Number	SALES MINERALES 5 KG	
Status	Available	
EAN	8435297812517	
Tariff code (HS)	8535.40.00	

Dimensions

Product weight	5500	[gr]
----------------	------	------

Technical features

Material	Mineral salts	
----------	---------------	--

Chemical composition of the activating compound % in weight

Calcium sulphate	10	[%]
Sodium bentonite	10	[%]
Pitch coke	80	[%]

Information about the sodium bentonite component

Chemical name	Hidrosilicato de Aluminio (Montmorillonita)	
Chemical formula	Si ₂ AlO ₅ (OH) en estado puro	
Nº CAS	1302-78-9	
Type of chemical product	Mineral	
Risk contribution components	Ninguno	

Information about the pitch coke component

Chemical name	Coque de Brea	
Nº CAS	64743-05-01	

Nº EINECS	2652109-EE
Chemical product	Carbon Fijo 99%
Risk contribution components	Ninguno

Information about the calcium sulphate component

Chemical formula	CaSO4·2H2O
Nº CAS	13397-24-5
Nº RTECS	MG2360000
Molecular weight	136 [g/mol]
Chemical name	Sulfato cálcico

Downloads

Data sheet

[CPT-FT-PROTECCION-EXTERNA-CONTRA-EL-RAYO-SALES-MINERALES-5-KG-77938300.pdf](#)

Address



Barcelona

Cirprotec, S.L.U.

C/ Lepanto, 49

08223 - Terrassa (Barcelona)

Tel. +34 937 331 684

Fax. +34 93 733 27 64

www.cirprotec.com

Copyright © Cirprotec, S.L.

[Legal Notice](#)

LOWPAT 25 KG

77938501

Long-lasting liquid activating compound for earth connections. (25 kg.)



Scan this QR code and see the full range



[Link to the product page](#)

Technical Data	Value	Units
Commercial data		
Code	77938501	
Part Number	LOWPAT 25 KG	
Status	Available	
EAN	8435297812500	
Tariff code (HS)	8535.40.00	
Dimensions		
Product height	360	[mm]
Product width	210	[mm]
Product length	290	[mm]
Product weight	24570	[gr]
Packaging unit	1	
General data		
Product standards	UNE-EN IEC 62561-7:2018	
Certifications	CE	
Technical features		
Material	Liquid	

Certifications	Value	Units
Certifications	CE	

Downloads

Data sheet	CPT-FT-PROTECCION-EXTERNA-CONTRA-EL-RAYO-LOWPAT-25-KG-77938501.pdf
Install sheet	CPT-FAP-PROTECCION-EXTERNA-CONTRA-EL-RAYO-LOWPAT-25-KG-77938501.pdf

Address



Barcelona

Cirprotec, S.L.U.

C/ Lepanto, 49

08223 - Terrassa (Barcelona)

Tel. +34 937 331 684

Fax. +34 93 733 27 64

www.cirprotec.com