

# ANCLAJES PL 15 D 1 1/2" (MAST 3 Y 6M)

77904300



Set of 15 cm metal screw-plate anchorings (2 pieces). D 1 1/2" Mast 3 and 6m

[Link to the product page](#)

Technical Data	Value	Units
<b>Commercial data</b>		
Code	77904300	
Part Number	ANCLAJES PL 15 D 1 1/2" (MAST 3 Y 6M)	
Status	Available	
EAN	8435297812364	
Tariff code (HS)	8535.40.00	
<b>Dimensions</b>		
Product height	150	[mm]
Product length	200	[mm]
Product weight	3965	[gr]
No. parts	2 pieces	
<b>General data</b>		
Certifications	CE	
<b>Technical features</b>		
Diameter	38	[mm]
Diameter	1 1/2"	[inch]
Internal diameter	50	[mm]
Max. mast diameter	Ø máx mástil	60 [mm]
Material	Galvanized steel	

Certifications	Value	Units
Certifications	CE	

Address



**Barcelona**

**Cirprotec, S.L.U.**

C/ Lepanto, 49

08223 - Terrassa (Barcelona)

Tel. +34 937 331 684

Fax. +34 93 733 27 64

[www.cirprotec.com](http://www.cirprotec.com)

Copyright © Cirprotec, S.L.

[Legal Notice](#)

# ANCLAJES PL 15 D2" (MAST 9M)

77904310

Set of 15 cm metal screw-plate anchorings (2 pieces). Mast D 2" (9m)



[Link to the product page](#)

Technical Data	Value	Units
<b>Commercial data</b>		
Code	77904310	
Part Number	ANCLAJES PL 15 D2" (MAST 9M)	
Status	Available	
EAN	8435297812371	
Tariff code (HS)	8535.40.00	
<b>Dimensions</b>		
Product height	150	[mm]
Product length	80	[mm]
Product weight	3675	[gr]
No. parts	2 pieces	
<b>General data</b>		
Certifications	CE	
<b>Technical features</b>		
Diameter	2"	[inch]
Internal diameter	50	[mm]
Max. mast diameter	Ø máx mástil	60 [mm]
Material	Galvanized steel	

Certifications	Value	Units
Certifications	CE	

Address



**Barcelona**

**Cirprotec, S.L.U.**

C/ Lepanto, 49

08223 - Terrassa (Barcelona)

Tel. +34 937 331 684

Fax. +34 93 733 27 64


[www.cirprotec.com](http://www.cirprotec.com)

Copyright © Cirprotec, S.L.

[Legal Notice](#)

# ANCLAJES PL 30 D 1 1/2" (MAST 3 Y 6M)

77904400



Set of 30 cm metal screw-plate anchorings (2 pieces). Mast D 1 1/2" (3m and 6m)

[Link to the product page](#)

Technical Data	Value	Units
<b>Commercial data</b>		
Code	77904400	
Part Number	ANCLAJES PL 30 D 1 1/2" (MAST 3 Y 6M)	
Status	Available	
EAN	8435297812388	
Tariff code (HS)	8535.40.00	
<b>Dimensions</b>		
Product height	356	[mm]
Product width	200	[mm]
Product length	80	[mm]
Product weight	4940	[gr]
Packaging unit	1	
No. parts	2 pieces	
<b>General data</b>		
Certifications	CE	
<b>Technical features</b>		
Internal diameter	50	[mm]
Max. mast diameter	Ø máx mástil	60 [mm]
Min. mast diameter	42	[mm]
Material	Galvanized steel	
Screw thread	M12	
Application	Screw-plate mast anchorage	
Mounting type	Mast 3 and 6m	

Certifications	Value	Units
Certifications	CE	

Address



**Barcelona**

**Cirprotec, S.L.U.**

C/ Lepanto, 49

08223 - Terrassa (Barcelona)

Tel. +34 937 331 684

Fax. +34 93 733 27 64


[www.cirprotec.com](http://www.cirprotec.com)

Copyright © Cirprotec, S.L.

[Legal Notice](#)

# ANCLAJES PL 30 D 2" (MAST 9M)

77904402



Set of 30 cm metal screw-plate anchorings (3 pieces). Mast D 2" (9m)

[Link to the product page](#)

Technical Data	Value	Units
<b>Commercial data</b>		
Code	77904402	
Part Number	ANCLAJES PL 30 D 2" (MAST 9M)	
Status	Available	
EAN	8435297812883	
Tariff code (HS)	8535.40.00	
<b>Dimensions</b>		
Product height	356	[mm]
Product width	200	[mm]
Product length	80	[mm]
Product weight	5090	[gr]
Packaging unit	1	
No. parts	3 pieces	
<b>General data</b>		
Certifications	CE	
<b>Technical features</b>		
Internal diameter	50	[mm]
Max. mast diameter	Ø máx mástil	60 [mm]
Min. mast diameter	42	[mm]
Material	Galvanized steel	
Screw thread	M12	
Application	Screw-plate mast anchorage	
Mounting type	Mast 9m	

Certifications	Value	Units
Certifications	CE	

Address



**Barcelona**

**Cirprotec, S.L.U.**

C/ Lepanto, 49

08223 - Terrassa (Barcelona)

Tel. +34 937 331 684

Fax. +34 93 733 27 64

[www.cirprotec.com](http://www.cirprotec.com)

Copyright © Cirprotec, S.L.

[Legal Notice](#)



# ANCLAJES PL 60 (MAST 3 Y 6M)

77904700



Set of 60 cm metal screw-plate anchorings (2 pieces). Mast D 1 1/2" (3m and 6m)

[Link to the product page](#)

Technical Data	Value	Units
<b>Commercial data</b>		
Code	77904700	
Part Number	ANCLAJES PL 60 (MAST 3 Y 6M)	
Status	Available	
EAN	8435297813491	
Tariff code (HS)	8535.40.00	
<b>Dimensions</b>		
Product height	655	[mm]
Product width	200	[mm]
Product length	80	[mm]
Product weight	6765	[gr]
Packaging unit	1	
No. parts	2 pieces	
<b>General data</b>		
Certifications	CE	
<b>Technical features</b>		
Internal diameter	50	[mm]
Max. mast diameter	Ø máx mástil 60	[mm]
Min. mast diameter	42	[mm]
Material	Galvanized steel	
Screw thread	M12	
Application	Screw-plate mast anchorage	
Mounting type	Mast 3 and 6m	

Certifications	Value	Units
Certifications	CE	

Address



**Barcelona**

**Cirprotec, S.L.U.**

C/ Lepanto, 49

08223 - Terrassa (Barcelona)

Tel. +34 937 331 684

Fax. +34 93 733 27 64

[www.cirprotec.com](http://www.cirprotec.com)

# ANCLAJES PL 60 (MAST 9M)

77904705



Set of 60 cm metal screw-plate anchorings (3 pieces). Mast D 2" (9m)

[Link to the product page](#)

Technical Data	Value	Units
<b>Commercial data</b>		
Code	77904705	
Part Number	ANCLAJES PL 60 (MAST 9M)	
Status	Available	
Tariff code (HS)	8535.40.00	
<b>Dimensions</b>		
Product height	655	[mm]
Product width	200	[mm]
Product length	80	[mm]
Product weight	6765	[gr]
Packaging unit	1	
No. parts	3 pieces	
<b>General data</b>		
Certifications	CE	
<b>Technical features</b>		
Internal diameter	50	[mm]
Max. mast diameter	Ø máx mástil	60 [mm]
Min. mast diameter		42 [mm]
Material	Galvanized steel	
Screw thread	M12	
Application	Screw-plate mast anchorage	
Mounting type	Mast 9m	

Certifications	Value	Units
Certifications	CE	

Address



**Barcelona**

**Cirprotec, S.L.U.**

C/ Lepanto, 49

08223 - Terrassa (Barcelona)

Tel. +34 937 331 684

Fax. +34 93 733 27 64

[www.cirprotec.com](http://www.cirprotec.com)

Copyright © Cirprotec, S.L.

[Legal Notice](#)

# PIE SOP MAST 9M

77904105



Mast 9m base support on flat roof or ground.

[Link to the product page](#)

Technical Data	Value	Units
<b>Commercial data</b>		
Code	77904105	
Part Number	PIE SOP MAST 9M	
Status	Available	
EAN	8435297831853	
Tariff code (HS)	8535.40.00	
<b>Dimensions</b>		
Product height	1016	[mm]
Product width	500	[mm]
Product length	500	[mm]
Product weight	12000	[gr]
Packaging unit	1	
No. parts	3 pieces	
<b>General data</b>		
Certifications	CE	
<b>Technical features</b>		
Internal diameter	50	[mm]
Max. mast diameter	Ø máx mástil	60 [mm]
Min. mast diameter		48 [mm]
Material	Galvanized steel	
Application	Mast anchorage for flat roof	

Certifications	Value	Units
Certifications	CE	

Address



**Barcelona**

**Cirprotec, S.L.U.**

C/ Lepanto, 49

08223 - Terrassa (Barcelona)

Tel. +34 937 331 684

Fax. +34 93 733 27 64

[www.cirprotec.com](http://www.cirprotec.com)

Copyright © Cirprotec, S.L.

[Legal Notice](#)

# PIE SOP MAST TEJ

77904100



**Mast base support on flat roof or ground.**

[Link to the product page](#)

Technical Data	Value	Units
<b>Commercial data</b>		
Code	77904100	
Part Number	PIE SOP MAST TEJ	
Status	Available	
EAN	8435297812340	
Tariff code (HS)	8535.40.00	
<b>Dimensions</b>		
Product height	1016	[mm]
Product width	300	[mm]
Product length	300	[mm]
Product weight	10000	[gr]
Packaging unit	1	
No. parts	3 pieces	
<b>General data</b>		
Certifications	CE	
<b>Technical features</b>		
Internal diameter	50	[mm]
Max. mast diameter	Ø máx mástil	48 [mm]
Min. mast diameter		42 [mm]
Material	Galvanized steel	
Application	Mast ancorage for flat roof	

Certifications	Value	Units
Certifications	CE	

Address



**Barcelona**

**Cirprotec, S.L.U.**

C/ Lepanto, 49

08223 - Terrassa (Barcelona)

Tel. +34 937 331 684

Fax. +34 93 733 27 64

[www.cirprotec.com](http://www.cirprotec.com)

Copyright © Cirprotec, S.L.

[Legal Notice](#)



# ANCLAJES EMPO 60 D 1 1/2" (MAST 3 Y 6M)

77904210



Set of 60 cm anchorages for recessed mounting or welding (2 pieces). Mast D 1 1/2" (3m and 6m)

Indicative product image

Technical Data	Value	Units
<b>Commercial data</b>		
Code	77904210	
Part Number	ANCLAJES EMPO 60 D 1 1/2" (MAST 3 Y 6M)	
<b>Dimensions</b>		
Product height	636	[mm]
Product width	134	[mm]
Product length	35	[mm]
Packaging unit	1	
No. parts	2 pieces	
<b>General data</b>		
Certifications	CE	
<b>Technical features</b>		
Internal diameter	50	[mm]
Max. mast diameter	60	[mm]
Min. mast diameter	42	[mm]
Material	Galvanized steel	
Screw thread	M12	
Mounting type	Mast 3 and 6m	

# ANCLAJES EMPO 60 D 2" (MAST 9M)

77904212



Set of 60 cm anchorages for recessed mounting or welding (3 pieces). Mast D 1 1/2" (9m)

Indicative product image

Technical Data	Value	Units
<b>Commercial data</b>		
Code	77904212	
Part Number	ANCLAJES EMPO 60 D 2" (MAST 9M)	
<b>Dimensions</b>		
Product height	636	[mm]
Product width	134	[mm]
Product length	35	[mm]
Packaging unit	1	
No. parts	3 pieces	
<b>General data</b>		
Certifications	CE	
<b>Technical features</b>		
Internal diameter	50	[mm]
Max. mast diameter	60	[mm]
Min. mast diameter	42	[mm]
Material	Galvanized steel	
Screw thread	M12	
Mounting type	Mast 9m	

# ANCLAJES BARAN V 3P

77904605

## Kit d'ancrage pour fixation verticale (3 pièces)



Indicative product image

Données techniques	Valeur	Unités
<b>Données commerciales</b>		
Code	77904605	
Description	ANCLAJES BARAN V 3P	
<b>Dimensions</b>		
Hauteur du produit	106,3	[mm]
Largeur du produit	130	[mm]
Longueur du produit	35	[mm]
Unité d'emballage	1	
N° de pièces	3 pièces	
<b>Données générales</b>		
Certifications	CE	
<b>Caractéristiques techniques</b>		
Diamètre intérieur	50	[mm]
Max. mât diamètre	60	[mm]
Min. mât diamètre	42	[mm]
Matériel	Acier galvanisé	
Filet de vis	M12	

# ABR MAST D42,4

776001244

Bracket for galvanized steel pole and 42,4 mm. diameter.



[Link to the product page](#)

Technical Data	Value	Units
<b>Commercial data</b>		
Code	776001244	
Part Number	ABR MAST D42,4	
Status	Available	
EAN	8435297808114	
Tariff code (HS)	8536.30.90	
<b>Dimensions</b>		
Product height	44	[mm]
Product length	40	[mm]
Product weight	400	[gr]
No. parts	2 pieces	
<b>General data</b>		
Certifications	CE	
<b>Technical features</b>		
Diameter	42,4	[mm]
Diameter	1 1/4"	[inch]
Internal diameter	42.2	[mm]
Max. mast diameter	Ø máx mástil	42.4 [mm]
Material	Galvanized steel	

Certifications	Value	Units
Certifications	CE	

Address



**Barcelona**

**Cirprotec, S.L.U.**

C/ Lepanto, 49

08223 - Terrassa (Barcelona)

Tel. +34 937 331 684

Fax. +34 93 733 27 64

[www.cirprotec.com](http://www.cirprotec.com)

Copyright © Cirprotec, S.L.

[Legal Notice](#)

# ANCLAJES BARAN H

77904500

Pair of fixations for horizontal rail (2 pcs)



[Link to the product page](#)

Technical Data	Value	Units
<b>Commercial data</b>		
Code	77904500	
Part Number	ANCLAJES BARAN H	
Status	Available	
EAN	8435297817635	
Tariff code (HS)	8535.40.00	
<b>Dimensions</b>		
Product height	105,3	[mm]
Product width	130	[mm]
Product length	130	[mm]
Packaging unit	1	
No. parts	2 pieces	
<b>General data</b>		
Certifications	CE	
<b>Technical features</b>		
Internal diameter	50	[mm]
Max. mast diameter	Ø máx mástil	60 [mm]
Min. mast diameter	42	[mm]
Material	Galvanized steel	
Screw thread	M12	
Application	Mast anchorage for horizontal rail	

Certifications	Value	Units
Certifications	CE	

Address



**Barcelona**

**Cirprotec, S.L.U.**

C/ Lepanto, 49

08223 - Terrassa (Barcelona)

Tel. +34 937 331 684

Fax. +34 93 733 27 64

[www.cirprotec.com](http://www.cirprotec.com)

# ANCLAJES BARAN V

77904600

Pair of fixations for vertical rail (2 pcs)



[Link to the product page](#)

Technical Data	Value	Units
<b>Commercial data</b>		
Code	77904600	
Part Number	ANCLAJES BARAN V	
Status	Available	
EAN	8435297812395	
Tariff code (HS)	8535.40.00	
<b>Dimensions</b>		
Product height	106,3	[mm]
Product width	130	[mm]
Product length	35	[mm]
Product weight	2367	[gr]
Packaging unit	1	
No. parts	2 pieces	
<b>General data</b>		
Certifications	CE	
<b>Technical features</b>		
Internal diameter	50	[mm]
Max. mast diameter	Ø máx mástil	60 [mm]
Min. mast diameter	42	[mm]
Material	Galvanized steel	
Screw thread	M12	
Application	Mast anchorage for vertical rail	



Certifications	Value	Units
Certifications	CE	

Address



**Barcelona**

**Cirprotec, S.L.U.**

C/ Lepanto, 49

08223 - Terrassa (Barcelona)

Tel. +34 937 331 684

Fax. +34 93 733 27 64


[www.cirprotec.com](http://www.cirprotec.com)

Copyright © Cirprotec, S.L.

[Legal Notice](#)

# ANCLAJES EMPO 30 D 1 1/2" (MAST 3 Y 6M)

77904200



Set of 30 cm anchorages for recessed mounting or welding (2 pieces). Mast D 1 1/2" (3m and 6m)

[Link to the product page](#)

Technical Data	Value	Units
<b>Commercial data</b>		
Code	77904200	
Part Number	ANCLAJES EMPO 30 D 1 1/2" (MAST 3 Y 6M)	
Status	Available	
EAN	8435297812357	
Tariff code (HS)	8535.40.00	
<b>Dimensions</b>		
Product height	336	[mm]
Product width	134	[mm]
Product length	35	[mm]
Product weight	3325	[gr]
Packaging unit	1	
No. parts	2 pieces	
<b>General data</b>		
Certifications	CE	
<b>Technical features</b>		
Internal diameter	50	[mm]
Max. mast diameter	Ø máx mástil	60 [mm]
Min. mast diameter	42	[mm]
Material	Galvanized steel	
Screw thread	M12	
Application	Embeddable mounting mast anchoragevv	
Mounting type	Mast 3 and 6m	

Certifications	Value	Units
Certifications	CE	

Address



**Barcelona**

**Cirprotec, S.L.U.**

C/ Lepanto, 49

08223 - Terrassa (Barcelona)

Tel. +34 937 331 684

Fax. +34 93 733 27 64

[www.cirprotec.com](http://www.cirprotec.com)

Copyright © Cirprotec, S.L.

[Legal Notice](#)

# ANCLAJES EMPO 30 D 2" (MAST 9M)

77904202



Set of 30 cm anchorages for recessed mounting or welding (3 pieces). Mast D 2" 9m

[Link to the product page](#)

Technical Data	Value	Units
<b>Commercial data</b>		
Code	77904202	
Part Number	ANCLAJES EMPO 30 D 2" (MAST 9M)	
Status	Available	
EAN	8435297812913	
Tariff code (HS)	8535.40.00	
<b>Dimensions</b>		
Product height	336	[mm]
Product width	134	[mm]
Product length	35	[mm]
Product weight	3440	[gr]
Packaging unit	1	
No. parts	3 pieces	
<b>General data</b>		
Certifications	CE	
<b>Technical features</b>		
Internal diameter	50	[mm]
Max. mast diameter	Ø máx mástil	60 [mm]
Min. mast diameter	42	[mm]
Material	Galvanized steel	
Screw thread	M12	
Application	Embeddable mounting mast anchorage	
Mounting type	Mast 9m	

Certifications	Value	Units
Certifications	CE	

Address



**Barcelona**

**Cirprotec, S.L.U.**

C/ Lepanto, 49

08223 - Terrassa (Barcelona)

Tel. +34 937 331 684

Fax. +34 93 733 27 64

[www.cirprotec.com](http://www.cirprotec.com)

Copyright © Cirprotec, S.L.

[Legal Notice](#)