

Spark gap (equipotential bonding of independent earthings).

Scan this QR code and see the full range



[Link to the product page](#)

Technical Data	Value	Units
Commercial data		
Code	77920310	
Part Number	EQUIPOT TIERRA	
Status	Available	
EAN	8435297812692	
Tariff code (HS)	8535.40.00	
Dimensions		
Product height	146	[mm]
Product weight	391	[gr]
Packaging unit	1	
General data		
Product standards	EN 62561-3:2012	
Certifications	CE	
Technical features		
Lightning impulse current (10/350)	limp	100 [kA]
Response voltage	Uaw	2,5 [kV]
Voltage protection level	Up	5 [kV]
Diameter		55 [mm]
Diameter of connector		8 [mm]
Connector material		Stainless steel
Housing material		Plastic
Application		Equipotential protection

Certifications	Value	Units
Certifications	CE	

Address



Barcelona

Cirprotec, S.L.U.

C/ Lepanto, 49

08223 - Terrassa (Barcelona)

Tel. +34 937 331 684

Fax. +34 93 733 27 64


www.cirprotec.com

Copyright © Cirprotec, S.L.

[Legal Notice](#)

KIT VIA CHISPAS+MAST-ANTENA

77920510



Spark gap kit for mast-to-Antenna protection.

Scan this QR code and see the full range



[Link to the product page](#)

Technical Data	Value	Units
Commercial data		
Code	77920510	
Code	77920510	
Part Number	KIT VIA CHISPAS+MAST-ANTENA	
Part Number	KIT VIA CHISPAS+MAST-ANTENA	
Status	Available	
Status	Available	
EAN	8435297809982	
Tariff code (HS)	8535.40.00	
Dimensions		
Product height	146	[mm]
Product height	146	[mm]
Product weight	675	[gr]
Product weight	675	[gr]
Packaging unit	1	
Packaging unit	1	
General data		
Product standards	EN 62561-3:2012	
Certifications	CE	
Product standards	EN 62561-3:2012	
Certifications	CE	
Technical features		
Lightning impulse current (10/350)	limp	100 [kA]

Lightning impulse current (10/350)	Iimp	100	[kA]
Response voltage	Uaw	2,5	[kV]
Response voltage	Uaw	2,5	[kV]
Voltage protection level	Up	5	[kV]
Voltage protection level	Up	5	[kV]
Diameter		55	[mm]
Diameter		55	[mm]
Diameter of connector		8	[mm]
Connector material		Stainless steel	
Diameter of connector		8	[mm]
Housing material		Plastic	
Connector material		Stainless steel	
Housing material		Plastic	
Application		Mast-antenna protection	

Certifications	Value	Units
Certifications	CE	
Certifications	CE	

Downloads

Data sheet

[CPT-FT-PROTECCION-EXTERNA-CONTRA-EL-RAYO-KIT-VIA-CHISPAS-MAST-ANTENA-77920510.pdf](#)

Address



Barcelona

Cirprotec, S.L.U.

C/ Lepanto, 49

08223 - Terrassa (Barcelona)

Tel. +34 937 331 684

Fax. +34 93 733 27 64

www.cirprotec.com

Copyright © Cirprotec, S.L.

[Legal Notice](#)

VIA CHISPAS PVC

77920500

Spark gap (mast-to-antenna).



Scan this QR code and see the full range



[Link to the product page](#)

Technical Data	Value	Units
Commercial data		
Code	77920500	
Code	77920500	
Part Number	VIA CHISPAS PVC	
Part Number	VIA CHISPAS PVC	
Status	Available	
Status	Available	
EAN	8435297812685	
Tariff code (HS)	8535.40.00	
Dimensions		
Product height	146	[mm]
Product height	146	[mm]
Product width	55	[mm]
Product width	55	[mm]
Product length	55	[mm]
Product length	55	[mm]
Product weight	200	[gr]
Product weight	200	[gr]
General data		
Certifications	CE	
Certifications	CE	
Technical features		
Lightning impulse current (10/350)	limp	100 [kA]
Lightning impulse current (10/350)	limp	100 [kA]
Response voltage	Uaw	2,5 [kV]
Response voltage	Uaw	2,5 [kV]
Voltage protection level	Up	5 [kV]

Voltage protection level	Up	5	[kV]
Diameter		55	[mm]
Diameter		55	[mm]
Connector material		Steel	
Housing material		Plastic	
Connector material		Steel	
Housing material		Plastic	
Application		Equipotential protection	

Certifications	Value	Units
Certifications	CE	
Certifications	CE	

Downloads

Data sheet

[CPT-FT-PROTECCION-EXTERNA-CONTRA-EL-RAYO-VIA-CHISPAS.pdf](#)

Address



Barcelona

Cirprotec, S.L.U.

C/ Lepanto, 49

08223 - Terrassa (Barcelona)

Tel. +34 937 331 684

Fax. +34 93 733 27 64

www.cirprotec.com

Copyright © Cirprotec, S.L.

[Legal Notice](#)