

# SOP-COND TF ISO CABLE D10

776111397



Clamp for cable 8-10mm on metallic surface, with screw and PVC isolator for waterproof cladding. Manufactured out of stainless steel.

Scan this QR code and see the full range



[Link to the product page](#)

Technical Data	Value	Units
<b>Commercial data</b>		
Code	776111397	
Part Number	SOP-COND TF ISO CABLE D10	
Status	Available	
EAN	8435297873075	
Tariff code (HS)	8536.30.90	
<b>Dimensions</b>		
Product height	41	[mm]
Product width	43	[mm]
Product length	20	[mm]
Packaging unit	1	
<b>General data</b>		
Product standards	EN 62561-4:2011	
Certifications	CE	
<b>Technical features</b>		
Down-conductor system	Cable conductor	
Max. diameter of cable	Diámetro máx.cable	10 [mm]
Min. diameter of cable	Diámetro mín cable	8 [mm]
Material	Stainless steel	
Housing material	PVC Isolator	
Screw thread	M8	

Certifications	Value	Units
Certifications	CE	

Address



**Barcelona**

**Cirprotec, S.L.U.**

C/ Lepanto, 49

08223 - Terrassa (Barcelona)

Tel. +34 937 331 684

Fax. +34 93 733 27 64

[www.cirprotec.com](http://www.cirprotec.com)

Copyright © Cirprotec, S.L.

[Legal Notice](#)

# SOP-COND TF ISO PLETINA

776111398



Clamp for 30mm tape on metallic surface, with screw and PVC isolator for waterproof cladding. Manufactured out of stainless steel.

Scan this QR code and see the full range



[Link to the product page](#)

Technical Data	Value	Units
<b>Commercial data</b>		
Code	776111398	
Part Number	SOP-COND TF ISO PLETINA	
Status	Discontinued	
EAN	8435297856429	
Tariff code (HS)	8536.30.90	
<b>Dimensions</b>		
Product height	36	[mm]
Product width	55	[mm]
Product length	20	[mm]
Product weight	1	[gr]
Packaging unit	1	
<b>General data</b>		
Product standards	EN 62561-4:2011	
Certifications	CE	
<b>Technical features</b>		
Down-conductor system	Flat tape	
Max. flat tape width	30	[mm]
Min. flat tape width	25	[mm]
Max. flat tape thickness	3	[mm]
Min. flat tape thickness	2	[mm]
Material	Stainless steel	
Housing material	PVC Isolator	
Screw thread	M8	

Certifications	Value	Units
Certifications	CE	

Address



**Barcelona**

**Cirprotec, S.L.U.**

C/ Lepanto, 49

08223 - Terrassa (Barcelona)

Tel. +34 937 331 684

Fax. +34 93 733 27 64

[www.cirprotec.com](http://www.cirprotec.com)

Copyright © Cirprotec, S.L.

[Legal Notice](#)

# SOP COND TR BR H-M8

776110072

M8 bronze bracket with thread, for 50 and 70 mm<sup>2</sup> cable.

Scan this QR code and see the full range



[Link to the product page](#)

Technical Data	Value	Units
<b>Commercial data</b>		
Code	776110072	
Part Number	SOP COND TR BR H-M8	
Status	Available	
EAN	8435297808329	
Tariff code (HS)	8536.30.90	
<b>Dimensions</b>		
Product height	20	[mm]
Product length	20	[mm]
Product weight	49	[gr]
Packaging unit	1	
<b>General data</b>		
Certifications	CE	
<b>Technical features</b>		
Down-conductor system	Cable conductor	
Diameter	16	[mm]
Diameter of connector	8-10	[mm]
Max. diameter of cable	Diámetro máx.cable	10 [mm]
Min. diameter of cable	Diámetro mín cable	8 [mm]
Material	Bronze	

Certifications	Value	Units
Certifications	CE	

Address



**Barcelona**

**Cirprotec, S.L.U.**

C/ Lepanto, 49

08223 - Terrassa (Barcelona)

Tel. +34 937 331 684

Fax. +34 93 733 27 64

[www.cirprotec.com](http://www.cirprotec.com)

Copyright © Cirprotec, S.L.

[Legal Notice](#)

# SOP VAC TEJADO PLANO CABLE PLETINA

779001162

Pyramidal conductor holders for flat roofs empty. Suitable for flat conductors 30x2 mm or cable.



Scan this QR code and see the full range



[Link to the product page](#)

Technical Data	Value	Units
<b>Commercial data</b>		
Code	779001162	
Part Number	SOP VAC TEJADO PLANO CABLE PLETINA	
Status	Available	
EAN	8435297866954	
Tariff code (HS)	8538.90.99	
<b>Dimensions</b>		
Product height	80	[mm]
Product width	140	[mm]
Product length	140	[mm]
Product weight	80	[gr]
Packaging unit	20	
<b>General data</b>		
Product standards	EN 62561-4:2011	
Certifications	CE	
<b>Technical features</b>		
Down-conductor system	Universal	
Max. flat tape width	30	[mm]
Min. flat tape width	25	[mm]
Max. flat tape thickness	3,5	[mm]
Min. flat tape thickness	2	[mm]
Max. diameter of cable	Diámetro máx.cable	8 [mm]
Min. diameter of cable	Diámetro mín cable	8 [mm]

[Link to the product page](#)

Material	PVC
Housing material	PVC
Screw thread	M6



Certifications	Value	Units
Certifications	CE	

Address



**Barcelona**

**Cirprotec, S.L.U.**

C/ Lepanto, 49

08223 - Terrassa (Barcelona)

Tel. +34 937 331 684

Fax. +34 93 733 27 64

[www.cirprotec.com](http://www.cirprotec.com)

Copyright © Cirprotec, S.L.

[Legal Notice](#)

# SOP-COND TEJ PLETINA

77611100

Hook type clamp for roof tyles, for 30mm tape conductor.



Indicative product image

Technical Data	Value	Units
<b>Commercial data</b>		
Code	77611100	
Part Number	SOP-COND TEJ PLETINA	
<b>Dimensions</b>		
Product height	33	[mm]
Product width	20	[mm]
Product length	210	[mm]
Packaging unit	1	
<b>General data</b>		
Product standards	EN 62561-4:2011	
Certifications	CE	
<b>Technical features</b>		
Max. flat tape width	30	[mm]
Min. flat tape width	25	[mm]
Max. flat tape thickness	3	[mm]
Min. flat tape thickness	2	[mm]
Material	Stainless steel	
Screw thread	M8	

# SOP-CEM CABLE PLETINA

779001161

Pyramidal conductor holders for flat roofs filled in with concrete. Suitable for flat conductors 30x2 mm or cable.



Scan this QR code and see the full range



[Link to the product page](#)

Technical Data	Value	Units
<b>Commercial data</b>		
Code	779001161	
Part Number	SOP-CEM CABLE PLETINA	
Status	Available	
EAN	8435297856214	
Tariff code (HS)	8536.30.90	
<b>Dimensions</b>		
Product height	80	[mm]
Product width	140	[mm]
Product length	140	[mm]
Product weight	1000	[gr]
Packaging unit	20	
<b>General data</b>		
Product standards	EN 62561-4:2011	
Certifications	CE	
<b>Technical features</b>		
Down-conductor system	Universal	
Max. flat tape width	30	[mm]
Min. flat tape width	25	[mm]
Max. flat tape thickness	3,5	[mm]
Min. flat tape thickness	2	[mm]
Max. diameter of cable	Diámetro máx.cable	8 [mm]
Min. diameter of cable	Diámetro mín cable	8 [mm]
Material	PVC	

Housing material	<b>PVC + Concrete</b>
Screw thread	<b>M6</b>

Certifications	Value	Units
Certifications	CE	

Address



**Barcelona**

**Cirprotec, S.L.U.**

C/ Lepanto, 49

08223 - Terrassa (Barcelona)

Tel. +34 937 331 684

Fax. +34 93 733 27 64

[www.cirprotec.com](http://www.cirprotec.com)

Copyright © Cirprotec, S.L.

[Legal Notice](#)

# SOP-COND NIRO CLIP V2A D8 AI

776111019

Hook type clamp for roof tyles, for 8mm cable.

Scan this QR code and see  
the full range



[Link to the product page](#)

Technical Data	Value	Units
<b>Commercial data</b>		
Code	776111019	
Part Number	SOP-COND NIRO CLIP V2A D8 AI	
Status	Available	
EAN	8435297874850	
Tariff code (HS)	8536.30.90	
<b>Dimensions</b>		
Product height	53	[mm]
Product width	28	[mm]
Product length	263	[mm]
Packaging unit	1	
<b>General data</b>		
Product standards	EN 62561-4:2011	
Certifications	CE	
<b>Technical features</b>		
Down-conductor system	Cable conductor	
Max. diameter of cable	Diámetro máx.cable	8 [mm]
Min. diameter of cable	Diámetro mín cable	8 [mm]
Material	Stainless steel	
Screw thread	M8	

Certifications	Value	Units
Certifications	CE	

Address



**Barcelona**

**Cirprotec, S.L.U.**

C/ Lepanto, 49

08223 - Terrassa (Barcelona)

Tel. +34 937 331 684

Fax. +34 93 733 27 64

[www.cirprotec.com](http://www.cirprotec.com)

Copyright © Cirprotec, S.L.

[Legal Notice](#)

# SOP-COND TEJ HORM D8

776111630

Concrete roof conductor holder for 8mm.

Scan this QR code and see  
the full range



[Link to the product page](#)

Technical Data	Value	Units
<b>Commercial data</b>		
Code	776111630	
Part Number	SOP-COND TEJ HORM D8	
Status	Available	
EAN	8435297808510	
Tariff code (HS)	8536.30.90	
<b>Dimensions</b>		
Product length	95	[mm]
Product weight	968	[gr]
Packaging unit	1	
<b>General data</b>		
Product standards	DIN 4889	
Certifications	CE	
<b>Technical features</b>		
Down-conductor system	Cable conductor	
Diameter	8	[mm]
Max. diameter of cable	Diámetro máx.cable	8 [mm]
Material	Concrete PR-ÖKO 2	



Certifications	Value	Units
Certifications	CE	

Address



**Barcelona**

**Cirprotec, S.L.U.**

C/ Lepanto, 49

08223 - Terrassa (Barcelona)

Tel. +34 937 331 684

Fax. +34 93 733 27 64

[www.cirprotec.com](http://www.cirprotec.com)

Copyright © Cirprotec, S.L.

[Legal Notice](#)